



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**



Date : 05/13/2025 - 5:57 AM *
EXF # : BM-012341
Category : BORING MACH. - 32 MM SYS.
Brand / Model : J & P MACHINES "DH 2N"
Machine Type : BORING MACH. (HINGE)
Year of Mfg. :
Condition : Good Condition
Elect / Voltage : 440 V, 60 Cy, 3 Ph.
Special Note : Rare Find

FOB / Region : EASTERN CDN
Appr. Repl. Cost. : \$ 22,500
Price : **\$ 9,450 ***
Comment : Sturdily built machine made in Canada!
Leasing : Lease for \$ 192/Mo. at NCL

* Pricing is valid at the time of printing and subject to change at any time.

Description :

- **J & P MACHINES - DH 2N, ...Double Hinge Drilling & Inserting**

Double Drilling & Hinge Inserting Machine.

Features:

- Fast setup from small to large doors.
- User-friendly movable head, which is easy to move to the preset stops.
- Pneumatic lock allows drilling at any distance.
- Quick-change hopper magazines with a loading capacity of (35) hinges.



Please ask me

Ed Webb
800-374-5009 ext. 377
Intl. +1 704-841-2001 ext. 377
Ed.Webb@exfactory.com

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Insertion slide with UHMW non-wearing plastic.
- Creates chip-free bores on melamine and other sensitive materials by drilling from below.
- Boring heads with hardened gears and spindles.
- Linear bearings on slides for up & down movement.
- No tools required for precision depth adjustments.
- Double safety controls with: Metal detectors and photo eye prevent the boring unit from cycling again into the previously installed hinge.
- Dust extraction hoods with 4" dia.
- Min. closing distance between heads is 7" (180 mm).
- Max. opening distance is 60" (1,520 mm); other sizes available upon request.
- PLC Control and proximity sensors.
- Emergency cord switch.

Specifications:

- 2 HP - 3,600 RPM, 440 V, 3-Phase motors.

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Cycle time approx. (4) Sec.
- Compressed air 90 PSI.
- Weighs approximately 600 kG
- Dim.: 80" x 32" x 50" x 50"

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328