



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**



Date : 06/13/2025 - 4:49 PM *
EXF # : JT-300420
Category : JOINTERS
Brand / Model : OLIVER "4275C"
Machine Type : JOINTER (12" - 20")
Year of Mfg. : 2025
Condition : Brand New w/Warranty
Elect / Voltage : 220 V, 60 Cy, 3 Ph.
Special Note : Brand New

FOB / Region : PACIFIC NORTHWEST

Appr. Repl. Cost. : \$ 10,275

Price : **\$ 9,000 ***

Comment : New model 4275 16" jointer
has solid cast iron fen

Leasing : Lease for \$ 183/Mo. at NCL

* Pricing is valid at the time of printing and subject to change at any time.

Description :

- **16" OLIVER Jointer 4275C with Helical Cutterhead, (7.5 HP 3-Ph).**

Features:

- Extra-long precision ground tables provide a stable work surface.
- Parallelogram design provides smooth, accurate cuts.
- Massive cast iron frame offers stable table support.
- Fully enclosed cabinet with 6" port for superior dust management.
- Helical cutter head includes premium carbide inserts.
- 4-Sided cutting inserts are indexed and easy to replace.



Please ask me

Talice Luna
800-374-5009 ext. 379
Intl. +1 704-841-2001 ext. 379
talice.luna@exfactory.com

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Elevated control panel with key lock and emergency off switch.
- Wixey DRO shows table infeed table movement for precision cuts.
- Pre-drilled bracket for easy (optional) power feeder mounting.
- Foot-activated emergency power shutoff.
- Handwheel-controlled infeed table allows for quick adjustment and auto-lock during operation.
- Lever controlled outfeed table allows easy adjustment.
- Long solid cast iron fence features positive stops at 45° and 90°.
- Fence features flip-down L-shaped attachment for use with thin stock.
- Quick slide and lock fence adjustment.
- Easy to read cut depth gauge.
- Powerful TEFC Baldor motor available in single or three-phase.
- Poly V-belt drive efficiently delivers power to the cutter head.

Specifications:

- Table dimensions: 100"L x 16" Wide, 34-3/4" Table height.
- Infeed Table Travel: 3/4".
- Fence dimensions: 47"L x 6" W; Fence Tilts 45°.
- Cutterhead Speed 5,500 RPM.

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Number of Knives (helical): 76 inserts.
- Maximum Depth of Cut: 1/8".
- Dust port dia.: 6"

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328