



Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries



Date : 05/12/2025 - 11:24 PM *
EXF # : MF-300033
Category : MOULDERS - FEED THROUGH
Brand / Model : CAM-WOOD "SM-167AXX"
Machine Type : LATERAL CHAIN FEEDER
Year of Mfg. : 2025
Condition : Brand New w/Warranty
Elect / Voltage : 230 or 460 V, 60 Cy, 3 Ph
Special Note :

FOB / Region : WEST COAST
Appr. Repl. Cost. : \$ 62,900
Price : **\$ 61,900 ***
Comment : High Speed Lateral Chain Feeder!
Leasing : Lease for \$ 1,244/Mo. at NCL

* Pricing is valid at the time of printing and subject to change at any time.

Description :

- **CAM-WOOD SM-167AX Lateral Chain Feeder**

Lateral Chain Feeder for up to 11.8" X 16' long material

Features:

- The feed table is designed to be able to connect with any 4-sided Moulder, Multiple Blade Rip Saw, Straight Line Rip Saw and Planer
- Feed rollers are pneumatically actuated for quick clamping of wood. The feed speed of the front set of rollers is adjustable to match the moulder
- Hydraulic drive motors for each feed roller allow variable feed drive



Please ask me

Torry Hiddema
800-374-5009 ext. 371
Intl. +1 704-841-2001 ext. 371
torry.hiddema@exfactory.com

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Centralized control panel, with push-button for start and stop, chain feed regulation and display, feed roller raising/lowering control
- Infeed fence, the infeed fence allows the material to be lined up properly with the feed roller
- Wood thickness limit. There are two adjustable thickness limits preventing over-thickness material to enter the moulder

Specifications:

- Working width 25 to 300 mm (1" to 11.8")
- Working thickness: 8 to 160 mm (0.315" to 6.3")
- Working length: 2,000 mm to 7,000 mm (78.7" to 275.6")
- Infeed table 5,425 mm L X 2,090 mm W X 1,920 mm H (213.5' L X 82.2" W X 75.5" H)
- Minimum working length: 1,000 mm (39")
- Feed speed: 10 - 120 MPM (32.5 FPM - 390 FPM)
- Feed motor drive for hydraulic motor: 5 HP
- Table feed motor: 2 HP with inverter control
- Feed roller diameter: 140 mm (5-1/2")

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328