



Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries



Date : 05/30/2023 - 10:41 AM *
EXF # : PD-300349
Category : PLANERS - DBL. & 4-SIDED
Brand / Model : CAM-WOOD "WP-20L-V4X"
Machine Type : PLANER (FOUR SIDED)
Year of Mfg. : 2023
Condition : Brand New w/Warranty
Elect / Voltage : 230 or 460 V, 60 Cy, 3 Ph
Special Note :

FOB / Region : WEST COAST
Appr. Repl. Cost. : \$ 65,000
Price : \$ 59,900 *
Comment : Heavy duty industrial-strength Planer at a remarka
Leasing : Lease for \$ 1,204/Mo. at NCL

| | |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
|  | Please ask me |
| | Louis Sicotte 800-374-5009 ext. 329 Intl. +1 704-841-2001 ext. 329 louis.sicotte@exfactory.com |

* Pricing is valid at the time of printing and subject to change at any time.

Description :

- **CAM-WOOD MODEL WP-20L5-V4 20" WIDE X 4" HIGH 4-SIDED PLANER/MOULDER, \$59,900**
- **CAM-WOOD MODEL WP-20L8-V4 20" WIDE X 8" HIGH 4-SIDED PLANER/MOULDER, \$63,900**

Planer or Combination Planer/Ripsaw is designed for furniture, cabinet, flooring, intermittent planing millwork, and other industrial applications. The perfect Planer for S2S and S4S planing, planing and ripping, tongue & groove flooring, wall paneling, etc. up to approximately 75 FPM depending on the depth of cuts and dimensions of parts.

Working Capacities:

- Width: 3/4" to 20".
- Height: 3/8" to 4", 8" optional.

Sales - Liquidations - Auctions - Appraisals - Consulting



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Length: 20" Minimum, Maximum Unlimited.
- Maximum Cutting Depth: Top & Bottom Heads 1/2", Side Heads 1".

Included Tooling Is Slip-On Spiral or Profile Cutterheads:

- Standard with Slip-On HAR Series Profile / Spiral Cutter head. Profile Knives combined with 15 x 15 mm x 3° Carbide Insert knives. 1/2" Max depth of cut. The top and Bottom spindles are 60 mm (2.36") in diameter. Optional Profile Cutterheads Available.
- Left & Right-Side Spindles with Standard HAR Series Profile Heads.
- Max depth of cut 1". With 40 mm (1.57") Spindle Diameter. Cutting Circle from 6" to 7".
- Left & Right-Side Heads will run profiles with owner-provided tooling.

Quality Features = Long and Outstanding Performance

- Simple touch screen with Digital Positioning Controllers for width adjustment, thickness adjustment and variable feed speed.
- Hard Chrome Plated Table for long life and smooth feeding.
- Automatic Top Head Adjustment – cutter head height adjustment entered via HMI touch screen control with PLC.
- Floating Bottom Infeed Rolls for smooth, positive feeding.
- Variable Feed Speeds by VFD Controlled from Touch Screen.

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Heavy-duty Spindle Assemblies for durability & smooth finishes.
- Overhead assembly travels up/down and positions via touch screen control. Assembly is supported by (4) hard chromed, polished posts and precision screws.
- Tables, fences, etc. are precision ground, polished and hard chromed to provide long life and smooth feeding.
- Massive, heavy-duty sheet metal frame aids in vibration absorbing finishes and extra-long bearing life. Compact construction with exclusive see-through top guard.
- Motor Control Center with under voltage and overload protection. UL and CSA labeled electric components.

Motors and Feed Works:

- Top and Bottom Cutter Heads Motors, each: 15 HP, 5,000 RPM.
- Right & Left Side Cutter Motors, each: 10 HP, 5,000 RPM.
- Variable Feed Speeds from 20 to 65 FPM by VFD (inverter).
- Feed is powered by (2) each 2 HP VFD feed motors.
- (1) motor drives the top infeed and (1) Motor drives the top outfeed feed rolls. Top-powered feed rolls are air cylinder loaded / floating.
- (8) non-powered bottom rolls, (4) infeed and (4) outfeed.

Machine Sizes / Dimensions and Weight:

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries

- 76" Length x 52" Width x 71" Height.
- Weight 4,920 LBS

Optional Equipment:

- Type MP Carbide Side Head Tooling for profile work. Price on request.
- With 20" spindle length
- 40 mm arbor diameter with 10 mm keyway
- Saw Arbor powered by 20 HP motor
- Arbor is supported by an outboard hydraulic bearing housing
- 12" Maximum saw blade diameter
- Automatic digital up and down of Saw Spindle for quick setup and powered by a 1/2 HP motor.

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328