



Machinery for the Woodworking, Stone,  
Glass, Plastic, and Metalworking Industries



**Date :** 05/13/2025 - 7:18 AM \*  
**EXF # :** RG-300015  
**Category :** RIP SAWS - MULTI-BLADE  
**Brand / Model :** CAM-WOOD "XL-300-5114X"  
**Machine Type :** DIP CHAIN GANG RIP SAW  
**Year of Mfg. :** 2025  
**Condition :** Brand New w/Warranty  
**Elect / Voltage :** 230/460 V, 60 Cy, 3 Ph.  
**Special Note :** Brand New

**FOB / Region :** WEST COAST

**Appr. Repl. Cost. :** \$ 35,000

**Price :** **\$ 33,900 \***

**Comment :** The "best kept" secret in the  
woodworking machiner

**Leasing :** Lease for \$ 689/Mo. at NCL

\* Pricing is valid at the time of printing and subject to change at any time.

#### Description :

- **CAM-WOOD - XL 300, ...Dip Chain Gang Rip Saw: (...Typically in stock for immediate delivery!)**

12" Width cap.; 3/8" min. to 4-3/4" max. cutting depth; 14" min. stock length.

#### Specifications:

- 70 mm Dia. saw sleeve (one is included) with (2) keyways and the following spacers: (4) 15 mm, (4) 10 mm, (18) 1 mm, (10) 0.5 mm, and (8) 0.25 mm (see drawing after the "literature link"); with 12" usable cutting width.
- Accepts saw blades from 12" - 14" dia.; arbor is powered by a 50 HP motor driving the spindle at 3,200 RPM.
- Feed chain is powered by a 2 HP motor with variable chain speeds from 30 - 100 FPM; feed chain is 12" wide.
- Table: 30" Wide x 62" with 12" between the column and the 1st saw blade. - Integrated 6" dia. dust



Please ask me

#### **Joe Retzlaff**

800-374-5009 ext. 348  
Intl. +1 704-841-2001 ext. 348  
joe.retzlaff@exfactory.com

**Sales - Liquidations - Auctions - Appraisals - Consulting**

**EX-FACTORY INC.:** 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068  
**Warehouse & Showroom:** 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



Machinery for the Woodworking, Stone,  
Glass, Plastic, and Metalworking Industries

---

extraction connection.

**General Description:**

- Designed for high quality Production Line use. CAM-WOOD's Rip Saws are manufactured to precise tolerances and feature the newest designs for operator safety and volume production.
- **Precision fence** ensures absolute accuracy between blade & fence; equipped with: Measuring ruler gauge.
- **Triple anti-kickback fingers** mounted at the infeed side provide max. safety protection; (2) rows from the top and (1) row from the bottom.
- **Heavy-Duty industrial motor** for powerful cutting capacity.
- **Ruggedly constructed cast iron frames** for durability usage.

**Feed System:**

- **Variable feed speed** enables the machines to meet different requirement of work.
- **V-way track and chain** block surface are heat-treated for long wear resistance.
- **Automatic lubrication to V-Way track** facilitates chain running smoothly.
- **Auto lubrication device** is equipped with an alarm that sends signals upon a lack of lubrication oil to increase the durability of the machines.

**Features & Equipped with:**

- **Precision-built saw head** ensures accuracy for straight line rip saw operations.
- **(4) Bearing spindle** assembly ensures rigidity & long life.
- **Power raise & lower** to the arbor.
- **(4) Pressure rollers & (2) hold-down plates** for precise cutting of large and small workpieces.

---

**Sales - Liquidations - Auctions - Appraisals - Consulting**

---

**EX-FACTORY INC.:** 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068  
**Warehouse & Showroom:** 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,  
Glass, Plastic, and Metalworking Industries**

---

- **10-Piece V-Belt** for max. motor power output and guarantees Heavy-Duty multiple rip cutting.
- **The saw arbor is manufactured from NI-Cr-MO alloy steel** for durability and anti-fatigue, heat treated, precision ground, and balanced, providing precise cutting performance.
- **Adjustable guide rollers** make cutting straight or slight radial rip cuts. They also firmly secure lumber to the feed chain for glue joint work on short parts or longer length boards.

**Options when ordering with machine:**

- (1) Set spare feed chain link, please add ...\$ 96.
- (1) Set of arbor drive belts consisting of (6) matched belts, add ...\$680.
- Additional saw sleeve with spacer set consisting of: (2) 50 mm, (3) 25 mm, (4) 10 mm, (18) 1 MM, (10) 0.5 mm, (8) 0.25 mm, Please add... \$745

---

**Sales - Liquidations - Auctions - Appraisals - Consulting**

---

**EX-FACTORY INC.:** 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068  
**Warehouse & Showroom:** 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328