



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**



Date : 06/11/2025 - 8:00 AM *
EXF # : RS-300035
Category : RIP SAWS - STRAIGHT LINE
Brand / Model : CAM-WOOD "TRS-1112X"
Machine Type : STRAIGHT LINE RIP-SAW (SINGLE BLADE)
Year of Mfg. : 2025
Condition : Brand New w/Warranty
Elect / Voltage : 220 V, 60 Cy, 3 Ph.
Special Note : Great Value

FOB / Region : WEST COAST
Appr. Repl. Cost. : \$ 14,150
Price : **\$ 12,970 ***
Comment : Inventory item, normally
avail for immediate deliv
Leasing : Lease for \$ 263/Mo. at NCL

* Pricing is valid at the time of printing and subject to change at any time.

Description :

- **CAM-WOOD TRS-1112 12" Single Blade Top Cut Straight Line Rip Saw;**

Precision machining and attention to operator safety and production needs, makes this saw one of the most cost effective Rip Saws available in the world today.

Features:

- Hard chrome-plated table for maximum wear resistance.
- Precision fence ensures absolute accuracy between blade & fence, equipped with measuring ruler gauge.
- Double anti-kickback fingers mounted at the infeed end provides maximum safety protection.
- Heavy-duty industrial motor for powerful cutting performance.



Please ask me

Joe Retzlaff
800-374-5009 ext. 348
Intl. +1 704-841-2001 ext. 348
joe.retzlaff@exfactory.com

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Ruggedly constructed sheet metal frame for durability usage.

Feed & Saw Head:

- The variable feed speed enables the machine to meet different requirements of work.
- V-way track and chain block surface are heat-treated for long wear resistance; automatic lubrication to the V-Way track facilitates chain running smoothly.
- Precision-built saw head ensures accuracy for straight-line rip saw operations.
- The saw arbor is manufactured from NI-Cr-MO alloy steel for durability and anti-fatigue, heat treated, precision ground, and balanced providing precise cutting performance.
- Four-bearing spindle mount ensures rigidity & long life. Four pressure rollers for precise cutting of large and small workpieces.
- Heavy-duty cast iron table.

Specifications:

- Max. cutting depth: 3-3/8".
- Arbor dia.: 1".
- Saw blade size: 12" diameter.
- Table dimensions: 28" X 61".
- Spindle speed: 3,300 RPM.
- Feed speed: 30 - 72 FPM;
- Throat to blade depth: 15".
- Main motor: 11.75 KW (15.75 HP)

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries

- Feed motor: 1 HP.
- Feed chain width: 6".
- Automatic lubrication.
- Min. work piece length: 12".
- Exhaust Hood Dia. 4".
- Net weight: 1,960 Lbs.

Options:

- AF-RT EXTENSION ROLLERS SIDE TABLE ...\$390.00 • LA-6000 LASER BEAM LIGHT ...\$980.00

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328