

×

Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries

Date :	07/01/2025 - 10:37 PM *
EXF # :	TE-300012
Category :	TENONERS-DOUBLE & SINGLE
Brand / Model :	CAM-WOOD "SET-86DETX"
Machine Type :	DOUBLE END TENONER
Year of Mfg. :	2025
Condition :	Brand New w/Warranty
Elect / Voltage :	230/460 V, 60 Cy, 3 Ph.
Special Note :	

FOB / Region :	WEST COAST
Appr. Repl. Cost. :	\$ 114,000
Price :	\$ 97,900 *
Comment :	Double end tenoner at affordable price
Leasing :	Lease for \$ 1,956/Mo. at NCL



Please ask me

Louis Sicotte 800-374-5009 ext. 329 Intl. +1 704-841-2001 ext. 329 Iouis.sicotte@exfactory.com

\* Pricing is valid at the time of printing and subject to change at any time.

## **Description :**

- CAM-WOOD SET-86DET SSC 6 Heads Double End Tenoner
- Suitable for mass production of woodworking task for double end cutting, tenoning, grooving, profiling and sanding
- Saw, Shaper, Shaper: Total 3 stations at both sides.
- \_It is a powerful machine great for heavy-duty production.

## Capacity:



- The specially designed numeric controller allows quick setting of sizes, for the tolerance within 0.004".
- Variable speed, through feed, wide rubber pad, spring loaded dogs at 8" center conveyor for the best finish selections.
- Heavy-duty pressure rolls at top of wide width conveyor to hold the material tight to prevent sliding during the cutting process.
- Shaper head can be moved up & down, forward & backward.
- Max. 96" working capacity, min. 12"; max. 3 1/8" opening, 24" load area in front of hold-downs.
- The automatic high-speed through feed device allows for perfect finishing at speeds ranging from 20~82 FPM.
- Motorized opening with LED indicator.

## Each side equipped

- Scoring saw unit , 2 HP 3,600 RPM motor, 1" dia. arbor & up to 8" blade
- Trim saw tiltable unit, 3 HP, 3,600 RPM motor, 1" arbor and up to 10" blade.
- Shape/coping head unit., 7.5 HP 4,500-7,000 RPM motor, 1 1/4" or 40 mm dia. arbor for up to 8" cutter head.
- Variable feed speed from 20 66 FPM, 1 HP motor, steel feed chains with plastic anti-slip pads and dogs at 6" center.

Sales - Liquidations - Auctions - Appraisals - Consulting



- Spring loaded overhead hold-down beams w/endless belts.
- Separate electrical control cabinet with operator controls.

## **Options Available:**

- Hopper feed magazine
- Pneumatic jump control on scoring or shaping unit.
- Sound enclosure
- Electric motor brake
- Jump shaper
- · Tilting shaper

Floor space : 14' X 9' X 5", weight 10,500 lbs

Sales - Liquidations - Auctions - Appraisals - Consulting