

Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries



Date : 04/17/2024 - 7:27 PM *

EXF #: TE-300015

Category: TENONERS-DOUBLE & SINGLE

Brand / Model: CAM-WOOD "SET-88DET-SHJCJCX"

Machine Type: DOUBLE END TENONER

Year of Mfg.: 2024

Condition : Brand New w/Warranty

Elect / Voltage: 230 or 460 V, 60 Cy, 3 Ph

Special Note:

FOB / Region: WEST COAST

Appr. Repl. Cost.: \$ 139,900

Price: \$ 138,900 *

Comment: Heady duty series and a very

compact design!

Leasing: Lease for \$ 2,776/Mo. at

NCL

Please ask me



800-374-5009 ext. 329

Intl. +1 704-841-2001 ext. 329 louis.sicotte@exfactory.com

* Pricing is valid at the time of printing and subject to change at any time.

Description:

CAM-WOOD SET-88DET-SHJCJC 8-Head, 96" Double End Tenoner

- Suitable for mass production of woodworking task for double-end cutting, tenoning, grooving, profiling and sanding
- Scoring, Hogger/Saw, Jump Shaper, Jump Shaper: Total (4) stations on both sides.
- A solid, powerful machine great for Heavy-Duty production.

Capacity:



Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries

- The specially designed numeric controller allows quick setting of sizes, for the tolerance within 0.004".
- Variable speed, through feed, wide rubber pad chain, spring-loaded dogs at 8" center conveyor for the best finish selections.
- Heavy-duty pressure rolls at top of wide width conveyor to hold the material tight to prevent sliding during the cutting process.
- Shaper heads can be moved up & down, forward & backward.
- Max. 96" working capacity, min. 12"; max. 3-1/8" opening, 24" load area in front of hold-downs.
- The automatic high-speed through feed device allows for perfect finishing at speeds ranging from 20 66 FPM.
- Motorized opening with LED indicator.

Each side equipped

- Top Scoring saw unit, 2 HP 3,600 RPM motor, 1" dia. arbor & up to 8" blade
- Hogging/ Trim saw tiltable unit, 5 HP 3,600 RPM motor, 1" arbor and up to 10" blade.
- Jump Shape/coping head unit, 7.5. HP 4,500-7,000 RPM motor, 40mm dia. arbor for 6" to 8" cutter head.
- Jump Shape/coping head unit, 7.5 HP 4,500-7,000 RPM motor, 40 mm dia. arbor for 6" to 8" cutter head
- Variable feed speed from 20 66 FPM, 2 HP motor, steel feed chains with plastic anti-slip pads and dogs at 16" center.



Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries

- Spring-loaded overhead hold-down beams w/endless belts.
- Separate electrical control cabinet with operator controls.

Options Not Included

- Hopper feed magazine \$3,960)
- Extended infeed 42" in front of hold-down belt \$4,900)
- Sound enclosure \$ 8,900

Floor space : 8.5' X 9' X 6', weight 10,500 Lbs